NASA PERSONNEL/PAYROLL SYSTEM (NPPS) / ADMINSTAR INTERFACE CONTROL DOCUMENT

PrISMS Contract

August 2002



National Aeronautics and Space Administration

George C. Marshall Space Flight Center Huntsville, AL 35812

TABLE OF CONTENTS

Section Title Page

1.0 Purpose	. 1
2.0 NPPS REQUIREMENT	. 1
3.0 DATA FORMAT	.1
4.0 FILE FORMAT	.1
5.0 TRANSMIT FILES TO AGENCY DATABASE	.1
6.0 SPECIFIC REQUIREMENTS OF FILES	.1
6.0.1 NPPS Personnel Data	.2
6.0.2 NPPS Organization Data	.2
6.0.3 NPPS Location Data	.2

1.0 Purpose

The purpose of this Interface Control Document (ICD) is to define the interfaces between the NASA Personnel/Payroll System (NPPS) and AdminSTAR, a client-server commercial off-the-shelf (COTS) package. The ICD forms the baseline specification to be implemented by NPPS and AdminSTAR.

2.0 NPPS REQUIREMENT

NPPS will maintain an interface with the Agency AdminSTAR database for importing personnel information and organization table information to AdminSTAR. Information will be placed in the following files and transmitted to the Agency AdminSTAR database for input into AdminSTAR:

AGAOH.NPPSPP.ADMSTAR.LEARNER (Personnel data) AGAOH.NPPSPP.ADMSTAR.ORG (Organization data) AGAOH.NPPSPP.ADMSTAR.LOCATION (Location data)

3.0 **DATA FORMAT**

The spaces between fields shall be compressed creating a variable length file.

4.0 **FILE FORMAT**

Each file shall be a sequential file (flat file) in a delimited file format with '~' (tilde) as the delimiter between fields. The files shall be variable length with the maximum lengths specified in Attachment A.

5.0 TRANSMIT FILES TO AGENCY DATABASE

The files shall be transmitted from the consolidated NPPS to the Agency AdminSTAR database via FTP (File Transfer Protocol).

6.0 SPECIFIC REQUIREMENTS OF FILES

Each file transmitted shall be a sequential file (flat file) and shall consist of detail records. The data elements for the detail records for each file are defined in Attachment A.

The following sections define the selection and submission requirements for the files.

6.0.1 NPPS Personnel Data


NPPS shall transmit the Personnel data, from the NPS2-PER-MASTER file, as defined for file AGAOH.NPPSPP.ADMSTAR.LEARNER, for all NASA installations, every week on Friday. Data shall be transmitted for active employees and employees who have been terminated in the prior month. Data is not transmitted for employees who are not paid by NASA or have '00/00/0000' birth dates.

6.0.2 NPPS Organization Data

NPPS shall transmit the Organization data, from the NPS2-ORG-TBL file, as defined for file AGAOH.NPPSPP.ADMSTAR.ORG, for all NASA installations, every week on Friday. All organization data will be transmitted.

6.0.3 NPPS Location Data

NPPS shall transmit the Location data, as defined for file AGAOH.NPPSPP.ADMSTAR.LOCATION, for all NASA installations, every week on Friday. There will be one AGAOH.NPPSPP.ADMSTAR.LOCATION record transmitted for every AGAOH.NPPSPP.ADMSTAR.ORG transmitted.



AGAOH.NPPSPP.ADMSTAR.LEARNER (Personnel data)

Source Data Field Remarks	
1 9 PER-SSN 2 1 field delimiter New Field – hardcoded '~' 3 5 PER-INSTALL Modified – field moved after PER-NAMEMIDDLE 4 1 field delimiter New Field – hardcoded '~' 5 22 PER-NAMELAST 6 1 field delimiter New Field – hardcoded '~' 7 12 PER-NAMEFIRST 8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below New Field – hardcoded '~' 13 10 PER-ORGASSIGN Modified – see 1 below New Field – hardcoded '~' 13 10 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 2 below	
2 1 field delimiter New Field – hardcoded '~' 3 5 PER-INSTALL Modified – field moved after PER-NAMEMIDDLE 4 1 field delimiter New Field – hardcoded '~' 5 22 PER-NAMELAST 6 1 field delimiter New Field – hardcoded '~' 7 12 PER-NAMEFIRST 8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below New Field – hardcoded '~' 13 10 PER-ORGASSIGN Modified – see 1 below New Field – hardcoded '~' 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below New Field – hardcoded '~' 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
3 5 PER-INSTALL Modified field moved after PER-NAMEMIDDLE	
after PER-NAMEMIDDLE 4	
4 1 field delimiter New Field – hardcoded '~' 5 22 PER-NAMELAST 6 1 field delimiter New Field – hardcoded '~' 7 12 PER-NAMEFIRST 8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER-ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
5 22 PER-NAMELAST 6 1 field delimiter New Field – hardcoded '~' 7 12 PER-NAMEFIRST 8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER-ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
6 1 field delimiter New Field – hardcoded '~' 7 12 PER-NAMEFIRST 8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER-ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
7 12 PER-NAMEFIRST 8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER-ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
8 1 field delimiter New Field – hardcoded '~' 9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER- ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
9 1 PER-NAMEMIDDLE 10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER- ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
10 1 field delimiter New Field – hardcoded '~' 11 10 PER-ORGASSIGN Modified – see 1 below 12 1 field delimiter New Field – hardcoded '~' 13 10 PER- ORGASSIGN Modified – see 1 below 14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
11 10 PER-ORGASSIGN Modified — see 1 below 12 1 field delimiter New Field — hardcoded '~' 13 10 PER- ORGASSIGN Modified — see 1 below 14 1 field delimiter New Field — hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field — hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field — hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field — hardcoded '~' 21 20 PER-MINCDE Modified — see 3 below 22 1 field delimiter New Field — hardcoded '~' 23 10 PER-ORGLOC Modified — see 2 below	
12 1 field delimiter New Field — hardcoded '~' 13 10 PER- ORGASSIGN Modified — see 1 below 14 1 field delimiter New Field — hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field — hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field — hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field — hardcoded '~' 21 20 PER-MINCDE Modified — see 3 below 22 1 field delimiter New Field — hardcoded '~' 23 10 PER-ORGLOC Modified — see 2 below	
13 10 PER- ORGASSIGN Modified — see 1 below 14 1 field delimiter New Field — hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field — hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field — hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field — hardcoded '~' 21 20 PER-MINCDE Modified — see 3 below 22 1 field delimiter New Field — hardcoded '~' 23 10 PER-ORGLOC Modified — see 2 below	
14 1 field delimiter New Field – hardcoded '~' 15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
15 1 PER-SEX 16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
16 1 field delimiter New Field – hardcoded '~' 17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
17 11 PER-SSN 18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
18 1 field delimiter New Field – hardcoded '~' 19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field – hardcoded '~' 21 20 PER-MINCDE Modified – see 3 below 22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
19 10 PER-BIRTHDATE Format MM/DD/YYYY 20 1 field delimiter New Field — hardcoded '~' 21 20 PER-MINCDE Modified — see 3 below 22 1 field delimiter New Field — hardcoded '~' 23 10 PER-ORGLOC Modified — see 2 below	
21 20 PER-MINCDE Modified — see 3 below 22 1 field delimiter New Field — hardcoded '~' 23 10 PER-ORGLOC Modified — see 2 below	
22 1 field delimiter New Field – hardcoded '~' 23 10 PER-ORGLOC Modified – see 2 below	
23 10 PER-ORGLOC Modified – see 2 below	
24 1 field delimiter New Field – hardcoded '~'	
25 1 Login <u>No Change</u> – hardcoded '1'	
26 1 field delimiter New Field – hardcoded '~'	
27 5 PER-PAYPLAN '-' PER-GRADE	
28 1 field delimiter New Field – hardcoded '~'	
29 1 PER-SUPIND 30 1 field delimiter New Field – hardcoded '~'	
31 5 PER-NC	
32 1 field delimiter New Field – hardcoded '~'	
33 1 PER-POSTYPE	
34 1 field delimiter New Field – hardcoded '~'	
35 1 PER-WORKSCH	
36 1 field delimiter New Field – hardcoded '~'	
37 2 PER-HNDICAP	
38 1 field delimiter New Field – hardcoded '~'	
39 10 PER-EOD-DATE Format MM/DD/YYYY	
40 1 field delimiter New Field – hardcoded '~'	
41 1 Supervisor Indicator New Field – see 4 below	
42 1 field delimiter New Field – hardcoded '~'	
43 30 Logpass New Field – see 5 below	
44 1 field delimiter New Field – hardcoded '~'	
45 10 Termination Date <u>New Field</u> – see 6 below	

Total Max Length: 211

1. Prefix PER-ORGASSIGN with Center ID || '-' as follows:

If Installation = '1000' (NASA Headquarters)

PER-ORGASSIGN = 'NH-' || PER-ORGASSIGN

If Installation = '2100' (Ames Research Center)

PER-ORGASSIGN = 'ARC-' || PER-ORGASSIGN

If Installation = '2200' (Glenn Research Center)

PER-ORGASSIGN = 'GRC-' || PER-ORGASSIGN

If Installation = '2300' (Langley Research Center)

PER-ORGASSIGN = 'LARC-' || PER-ORGASSIGN

If Installation = '2400' (Dryden Flight Research Center)

PER-ORGASSIGN = 'DFRC-' || PER-ORGASSIGN

If Installation = '5100' (Goddard Space Flight Center)

PER-ORGASSIGN = 'GSFC-' || PER-ORGASSIGN

If Installation = '6200' (Marshall Space Flight Center)

PER-ORGASSIGN = 'MSFC-' || PER-ORGASSIGN

If Installation = '6400' (Stennis Space Center)

PER-ORGASSIGN = 'SSC-' || PER-ORGASSIGN

If Installation = '7200' (Johnson Space Center)

PER-ORGASSIGN = 'JSC-' || PER-ORGASSIGN

If Installation = '7600' (Kennedy Space Center)

PER-ORGASSIGN = 'KSC-' || PER-ORGASSIGN

- 2. Make the following format changes to the data in PER-ORGLOC.
- Remove the blank space in PER-ORGLOC i.e. change 'GRC- 9400' to 'GRC-9400'.
 Only centers with a three-character acronym have a blank space, i.e. 'HQS', 'ARC', 'GRC', 'SSC', 'JSC', and 'KSC'.
- Update PER-ORGLOC data prefixed with 'HQS' to 'NH', i.e. change 'HQS-WIOO' to 'NH-WIOO'.

3. The size of PER-MINCDE has been increased from a one-character field to a twenty-character field to allow for the ethnic text description. Translate the existing one-character ethnic code to the text description based on the following.

'C' = 'African American'

'A' = 'American Indian'

'B' = 'Asian'

'F' = 'Asian Indian'

'E' = 'Caucasian'

'G' = 'Chinese'

'H' = 'Filipino'

'J' = 'Guamanian'

'K' = 'Hawaiian'

'D' = 'Hispanic'

'L' = 'Japanese'

'M' = 'Korean'

'Q' = 'Other Asian/Pacific'

'N' = 'Samoan'

'P' = 'Vietnamese'

- 4. Termination Date (field 45) will determine the value of the Supervisor Indicator. The Supervisor indicator will be set to '1' when the Termination date is null and the Supervisor Ind will be set to '0' when the Termination date is not null.
- 5. Termination Date (field 45) will determine the value of the Logpass. The Logpass will be set to the value in PER-NAMEFIRST (field 7) when the Termination date is null and the Logpass will be set to the Termination Date (field 45) when the Termination date is not null. The format of the Termination Date should be MM:DD:YYYY HH:MI:SS when it is used for Logpass.
- 6. Learners will be terminated in AdminSTAR based on the termination date on the learner file.

AGAOH.NPPSPP.ADMSTAR.ORG (Organization data)

Field Number	Length	Source Data Field	Remarks
1	10	ORG	Modified – see 1 below
2	1	field delimiter	New Field – hardcoded '~'
3	4	INSTALLATION	
4	1	field delimiter	New Field – hardcoded '~'
5	55	ORG-REM1	
6	1	field delimiter	New Field – hardcoded '~'
7	8	Org Type	New Field – hardcoded 'Org Unit'
8	1	field delimiter	New Field – hardcoded '~'
9	10	Org Active Date	New Field – system date
		_	format MM/DD/YYYY
10	1	field delimiter	New Field - hardcoded '~'
11	30	ORG-REM1	New Field – same as field 7 above
12	1	field delimiter	New Field - hardcoded '~'
13	4	Center ID	New Field – see 2 below

Total Max Length: 127

1. Prefix ORG with Center ID || '-' as follows:

If Installation = '1000' (NASA Headquarters)

ORG = 'NH-' || ORG

If Installation = '2100' (Ames Research Center)

ORG = 'ARC-' || ORG

If Installation = '2200' (Glenn Research Center)

ORG = 'GRC-' || ORG

If Installation = '2300' (Langley Research Center)

ORG = 'LARC-' || ORG

If Installation = '2400' (Dryden Flight Research Center)

ORG = 'DFRC-' || ORG

If Installation = '5100' (Goddard Space Flight Center)

ORG = 'GSFC-' || ORG

If Installation = '6200' (Marshall Space Flight Center)

ORG = 'MSFC-' || ORG

If Installation = '6400' (Stennis Space Center)

ORG = 'SSC-' || ORG

If Installation = '7200' (Johnson Space Center)

ORG = 'JSC-' | ORG

If Installation = '7600' (Kennedy Space Center)

ORG = 'KSC-' || ORG

2. Determine Center ID based on the following:

If Installation = '1000' (NASA Headquarters)

Center ID = 'NH'

If Installation = '2100' (Ames Research Center)

Center ID = 'ARC'

If Installation = '2200' (Glenn Research Center)

Center ID = 'GRC'

If Installation = '2300' (Langley Research Center)

Center ID = 'LARC'

If Installation = '2400' (Dryden Flight Research Center)

Center ID = 'DFRC'

If Installation = '5100' (Goddard Space Flight Center)

Center ID = 'GSFC'

If Installation = '6200' (Marshall Space Flight Center)

Center ID = 'MSFC'

If Installation = '6400' (Stennis Space Center)

Center ID = 'SSC'

If Installation = '7200' (Johnson Space Center)

Center ID = 'JSC'

If Installation = '7600' (Kennedy Space Center)

Center ID = 'KSC'

AGAOH.NPPSPP.ADMSTAR.LOCATION (Location data)

Field

Num	ber Length	Source Data Field	Remarks
1	20	Location ID	Center ID + '-' + Org
			(see Center ID below)
2	1	field delimiter	Hardcoded '~'
3	30	Location Name	Center ID + '-' + Org + '-' Org Name
			(see Center ID below)
4	1	field delimiter	Hardcoded '~'
5	4	Address	Hard coded value (see 1 below)
6	1	field delimiter	Hardcoded '~'
7	20	City	Hard coded value (see 1 below)
8	1	field delimiter	Hardcoded '~'
9	2	State	Hard coded value (see 1 below)
10	0 1	field delimiter	Hardcoded '~'
1	1 10	Zip Code	Hard coded value (see 1 below)

Total Max Length: 91

```
1. If Installation = '1000' (NASA Headquarters)
       Center ID = 'NH'
       Address = 'NH'
       City = 'Washington'
       State = 'DC'
       Zip Code = '20546'
If Installation = '2100' (Ames Research Center)
       Center ID = 'ARC'
       Address = 'ARC'
       City = 'Moffett Field'
       State = 'CA'
       Zip Code = '940351000'
If Installation = '2200' (Glenn Research Center)
       Center ID = 'GRC'
       Address = 'GRC'
       City = 'Cleveland'
       State = 'OH'
       Zip Code = '44135'
If Installation = '2300' (Langley Research Center)
       Center ID = 'LARC'
       Address = 'LARC'
       City = 'Hampton'
       State = 'VA'
       Zip Code = '236810001'
If Installation = '2400' (Dryden Flight Research Center)
       Center ID = 'DFRC'
       Address = 'DFRC'
       City = 'Edwards'
       State = 'CA'
       Zip Code = '935230273'
```

If Installation = '5100' (Goddard Space Flight Center)

```
Center ID = 'GSFC'
       Address = 'GSFC'
       City = 'Greenbelt'
       State = 'MD'
       Zip Code = '20771'
If Installation = '6200' (Marshall Space Flight Center)
       Center ID = 'MSFC'
       Address = 'MSFC'
       City = 'Huntsville'
       State = 'AL'
       Zip Code = '35812'
If Installation = '6400' (Stennis Space Center)
       Center ID = 'SSC'
       Address = 'SSC'
       City = 'Stennis Space Center'
       State = 'MS'
       Zip Code = '395296000'
If Installation = '7200' (Johnson Space Center)
       Center ID = 'JSC'
       Address = 'JSC'
       City = 'Houston'
       State = 'TX'
       Zip Code = '77058'
If Installation = '7600' (Kennedy Space Center)
       Center ID = 'KSC'
       Address = 'KSC'
       City = 'Kennedy Space Center'
       State = 'FL'
       Zip Code = '32899'
```